

Declaration of Conformity
For Polypropylene Products

1. Names and addresses

Seller

CAMBRO Manufacturing
 5801 Skylab Rd.96S
 Huntington Beach, California

Manufacturer

Cambro Manufacturing

2. General requirements

We CAMBRO Manufacturing (supplying company) confirm the materials and articles listed below or in the attachment

The analyses performed by pH Srl – gruppo TÜV SÜD on the following samples:

21-FC01627-025853

Item description	Item number
Translucent	2SFSP
	4SFSP
	6SFSP
	8SFSP
	12SFSP
	18SFSP
	22SFSP
Translucent round food storage containers	RFS1PP
	RFS2PP
	RFS4PP
	RFS6PP
	RFS8PP
	RFS12PP
	RFS18PP
	RFS22PP
Translucent colander pans GN 1/3	33CLRPP
	35CLRPP
Translucent colander pans GN 1/6	63CLRPP
	65CLRPP

Translucent food Pans GN 1/1	12PP
	14PP
	16PP
	18PP
	10PPD
Translucent food Pans GN 1/2	22PP
	24PP
	26PP
	28PP
	20PPD
Translucent food Pans GN 1/3	32PP
	34PP
	36PP
	38PP
	30PPD
Translucent food Pans GN 1/4	42PP
	44PP
	46PP
	40PPD
Translucent food Pans GN 1/6	62PP
	64PP
	66PP
	60PPD
Translucent food Pans GN 1/8	82PPMD
Translucent food Pans GN 1/9	92PP
	94PP
	94PPMD
	90PPD
Camsquares® FreshPro ½ qt and 1 qt – Translucent	2SFSFPDPP
	6SFSFPDPP
	12SFSFPDPP
Camsquares® FreshPro Easy Seal Covers – Translucent	SFC1FPPP
	SFC2FPPP
	SFC6FPPP
	SFC12FPPP
Seal covers for Camwear CamSquares	SFC2SCPP
	SFC6SCPP
	SFC12SCPP
Seal Covers for Camwear Rounds	RFS1SCPP
	RFS2SCPP
	RFS6SCPP
	RFS12SCPP
Covers for Translucent Rounds	RFSC1PP
	RFSC2PP
	RFSC6PP
	RFSC12PP

Translucent food lids GN 1/1	10PPCH
	10PPCWSC
Translucent food lids GN 1/2	20PPCH
	20PPCWSC
Translucent food lids GN 1/3	30PPC
	30PPCH
	30PPCHN
	30PPCWSC
Translucent food lids GN 1/4	40PPCH
	40PPCWSC
Translucent food lids GN 1/6	60PPCH
	60PPCHN
	60PPCWSC
Translucent food lids GN 1/8	80PPCWSC
Translucent food lids GN 1/9	90PPC
	90PPCMD
	90PPCWSC
Camsquares® FreshPro ½ qt and 1 qt – Translucent	HFSFSPROPP
	1SFSPROPP
Reusable Camlids	CLRSM8B5
	CLRSB9
	CLRSB16
Crocks	CP12
	CP15
	CP27
Polytread® Trays	PT1014
	PT1100
	PT1216
	PT1400
	PT1418
	PT1600
Heat Keeper Insulating Base System	HK39B
Temperature Retention Systems	MDSL9
Meal Delivery Ware System	MDSB5
	MDSM8
	MDSB9
	MDSD9
	MDSB16
Camwear® Heat Keepers	HK39
Fast Food Tray	1014FF
Camwear® Heat Keepers	1216FF
Fast Food Tray	1418FF

comply with the legal requirements of the Plastics Regulation (EU) No. 10/2011 and its subsequent amendments, as well as Regulation (EU) No. 2020/1245, ministerial decree 21/03/1973 and its subsequent amendments, decree of the president of the republic n° 777 of 23/08/82, Legislative Decree 29 of 10/02/2017, as well as the Regulation (EU) No. 1935/2004, in the version valid at the time this declaration was issued. In addition, this product is manufactured under the relevant requirements of good manufacturing practices (GMP) Regulation No 2023/2006.

The total migration as well as the specific migrations are below the legal limits when used according to specifications. The test was carried out in accordance with Regulation (EU) No. 10/2011 (Annex V), ministerial decree 21/03/1973 and its subsequent amendments, decree of the president of the republic n° 777 of 23/08/82, Legislative Decree 29 of 10/02/2017.

The materials and raw materials used comply with Regulation (EU) No. 10/2011 and its subsequent amendments, as well as Regulation (EU) No. 2020/1245, ministerial decree 21/03/1973 and its subsequent amendments, decree of the president of the republic n° 777 of 23/08/82, Legislative Decree 29 of 10/02/2017. The use of non-evaluated substances is only carried out if it cannot be avoided. Unevaluated substances are only used behind a functional barrier (FB). The non-evaluated substances used have been proven not to be "mutagenic", "carcinogenic" or "toxic for reproduction".

"Evaluated substances" are substances that have been evaluated from a toxicological point of view by a recognized institution in Europe such as the European Food Safety Authority (EFSA), the Federal Institute for Risk Assessment (BfR) or comparable institutions and are therefore suitable for use in materials and articles intended to come into contact with foodstuffs within the meaning of Article 1 of Regulation (EC) 1935/2004. The restrictions associated with the use, e.g. application quantity limit, migration restrictions, etc. must be observed.

Evaluated substances are listed in individual measures according to Article 5 of Regulation (EC) 1935/2004 such as Annex 1 of the Plastics Regulation (EU) 10/2011 or listed in national regulations, among other ministerial decree 21/03/1973, decree of the president of the republic n° 777 of 23/08/82, Legislative Decree 29 of 10/02/2017, and recommendations or evaluations are available for the substances in the form of statement from one of the admitted institutions.

Evaluated substances are intentionally used in the manufacture and marketing of materials and articles intended to come in contact with food.

We only carry out changes in composition after consultation and written approval by the customer, which requires the issue of an updated declaration of conformity.

We carefully follow the new publications of the relevant laws and will inform the customer about significant changes in laws and standards that are relevant related to the production and use of the product.

3. Migration and residual contents

The following substances with restrictions and/or specifications are used in the above mentioned products:

Substance Name	Content
Polypropylene	100%

3.1. Overall migration limit (OM)

The total migration as well as the specific migrations are below the legal limits if applied according to their specification. The test was carried out in accordance with Regulation (EU) No. 10/2011 and EU 2020/1245.

The restrictions for evaluated substances (SML, QM, QMA, ND) in the Union list of Regulation (EU) 10/2011 and Directive 2007/42/EC, are met under the test conditions given above. In the listed TÜV official reports

3.2. Dual-Use-Additive

This product does not contain any substances authorized as food additives in Regulations 1333/2008/EC and 1334/2008/EC.

4. Substance Restriction under EU 10/2011

This product contains substances which have either Specific Migration Limit (SML) and/or Total Specific Migration Limit (SML(T)) and/or QM (residual content) and/or QMA (residual content per food contact surface area) defined in Tables 1-3 of Annex I of EC 10/2011.

The table below provides the components of the product that are restricted under EU 10/2011:

Name	CAS No.
Polypropylene	9010-79-1
	9003-07-0

5. Substances of Very High Concern

The requirements of Regulation (EC) No. 1907/2006 (REACH) are fulfilled for all components of the material. It is assured that no substances of very high concern within the meaning of Regulation (EC) No. 1907/2006 are contained. The basis is the currently valid "Candidate List of Substances of Very High Concern" (SVHC list).

6. NIAS (Not intentional added substances)

NIAS are substances introduced unintentionally during the manufacture and marketing of materials and articles intended to come into contact with food, such as impurities in the substances used, reaction intermediates formed during the manufacturing process or degradation or reaction products.

Whether the unintentionally introduced substances comply with Article 3 of Regulation (EC) No 1935/2004 must be assessed in accordance with internationally accepted scientific principles on risk assessment (see Article 19 of Regulation (EU) No 10/2011 - EU 2015/174).

7. Specification of intended use or restrictions

- Type(s) of food or process for which the material is suitable:
Cold and warm food
Storage of food

No functional barrier made of plastic is used in the above-mentioned product.

8. General information

This confirmation applies to the product delivered by us as described; the conformity test was carried out in accordance with the rules of Regulation (EU) No. 10/2011 and its subsequent amendments, as well as Regulation (EU) No. 2020/1245, ministerial decree 21/03/1973 and its subsequent amendments, decree of the president of the republic n° 777 of 23/08/82, Legislative Decree 29 of 10/02/2017, and Regulation (EC) No. 2023/2006 (Good Manufacturing Practice); thereafter, the product meets the specifications if the specified food contact conditions are observed. In case of deviations from the food contact conditions, the user must satisfy himself of the suitability.

It is pointed out that no contact between printing ink and food must occur.

Date: November 11, 2024
Name: Pierre Clemons
Title: Quality Systems Manager

Signature: 

Valid: until revoked by reissue



LAB N° 0069 L

TEST REPORT

N° 24-FC00865

Sample identification number: 24-FC00865
 (C) Sample description: 66PP Translucent Food Pans
 (C) Sampled by: Customer (§)
 Pick-up made by: Courier
 (C) Customer: CAMBRO PRESSWERK KONGEN GMBH
 Kelterstrasse 51
 UNTERENSINGEN 72669
 Arrival date: 18/04/2024

RESULTS

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
* Time and temperature at first, second, third attack										
* Time		2.0		hour					18/04	18/04
* Temperature		70.0		°C					18/04	18/04
* Time and Temperature of simulant substitute: Isoctane										
* Time		0.5		hour					22/05	22/05
* Temperature		40.0		°C					22/05	22/05
* Time and Temperature of simulant substitute: Ethanol 95%										
* Time		2.0		hour					22/05	22/05
* Temperature		60.0		°C					22/05	22/05
* Bisphenol A (2,2-Bis(4-hydroxyphenyl)propane) <i>MP/C/1053 rev 0 2015</i>		0.02	±0.01	mg/kg	0.01		0_B		07/05	30/05
* Triisopropanolamine in 95%ethanol at I, II and III migration <i>UNI EN 13130-1:2005 + MP/C/1572 rev 0 2019</i>							0_A			
* Triisopropanolamine specific migration at first migration <i>UNI EN 13130-1:2005 + MP/C/1079 rev 0 2015</i>		< 0.5		mg/kg	0.5		0_A		28/05	30/05
* Triisopropanolamine specific migration at second migration <i>UNI EN 13130-1:2005 + MP/C/1079 rev 0 2015</i>		< 0.5		mg/kg	0.5		0_A		28/05	30/05
* Triisopropanolamine specific migration at third migration <i>UNI EN 13130-1:2005 + MP/C/1079 rev 0 2015</i>		< 0.5		mg/kg	0.5	5	0_A		28/05	30/05
* Bis(2,4-di-terz-butilfenil)pentaeritritol difosfito in 95%ethanol at I, II and III migration <i>UNI EN 13130-1:2005 + MP/C/1572 rev 0 2019</i>							0_A			
* Bis(2,4-di-terz-butilfenil)pentaeritritol difosfito specific migration in at first migration <i>UNI EN 13130-1:2005 + MP/C/1104 rev 0 2015</i>		< 0.3		mg/kg	0.3		0_A		28/05	30/05
* Bis(2,4-di-terz-butilfenil)pentaeritritol difosfito specific migration in at second migration <i>UNI EN 13130-1:2005 + MP/C/1104 rev 0 2015</i>		< 0.3		mg/kg	0.3		0_A		28/05	30/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 1 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
* Bis(2,4-di-terz-butilfenil)pentaeirtritol difosfito specific migration in at third migration <i>UNI EN 13130-1:2005 + MP/C/1104 rev 0 2015</i>		< 0.3		mg/kg	0.3	0.6	0_A		28/05	30/05
* Bis(2,4-di-terz-butilfenil)pentaeirtritol difosfito specific migration in tenax at first attack <i>UNI EN 13130-1:2005 + MP/C/1104 rev 0 2015</i>		0.53	±0.16	mg/kg	0.3		0_A		18/04	17/05
* Bis(2,4-di-terz-butilfenil)pentaeirtritol difosfito specific migration in tenax at second attack <i>UNI EN 13130-1:2005 + MP/C/1104 rev 0 2015</i>		0.57	±0.17	mg/kg	0.3		0_A		18/04	17/05
* Bis(2,4-di-terz-butilfenil)pentaeirtritol difosfito specific migration in tenax at third attack <i>UNI EN 13130-1:2005 + MP/C/1104 rev 0 2015</i>		0.35	±0.11	mg/kg	0.3	0.6	0_A		18/04	17/05
* Tris(3,5-di-tert-butyl-4-hydroxybenzyl)isocyanurate specific migration in ethanol 95% at first attack <i>UNI EN 13130-1:2005 + MP/C/1105 rev 0 2015</i>		< 1.0		mg/kg	1.0		0_A		07/05	13/05
* Tris(3,5-di-tert-butyl-4-hydroxybenzyl)isocyanurate specific migration in ethanol 95% at II attack <i>UNI EN 13130-1:2005 + MP/C/1105 rev 0 2015</i>		< 1.0		mg/kg	1.0		0_A		07/05	13/05
* Tris(3,5-di-tert-butyl-4-hydroxybenzyl)isocyanurate specific migration in ethanol 95% at III attack <i>UNI EN 13130-1:2005 + MP/C/1105 rev 0 2015</i>		< 1.0		mg/kg	1.0	5	0_A		07/05	13/05
* DBP (di-butyl phthalate) specific migration in isooctane at first attack <i>UNI EN 13130-1:2005 + MP/C/1112 rev 0 2015</i>		< 0.1		mg/kg	0.1		0_A		18/04	22/05
* DBP (di-butyl phthalate) specific migration in isooctane at second attack <i>UNI EN 13130-1:2005 + MP/C/1112 rev 0 2015</i>		< 0.1		mg/kg	0.1		0_A		18/04	22/05
* DBP (di-butyl phthalate) specific migration in isooctane at third attack <i>UNI EN 13130-1:2005 + MP/C/1112 rev 0 2015</i>		< 0.1		mg/kg	0.1	0.12	0_A		18/04	22/05
Overall migration in acetic acid 3% by immersion at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</i>		< 1.0		mg/dm ²	1.0		0_A		18/04	13/05
Reply A at first attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Reply B at first attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Reply C at first attack		1.00		mg/dm ²	1.0				18/04	13/05
Overall migration in acetic acid 3% by immersion at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</i>		< 1.0		mg/dm ²	1.0		0_A		18/04	13/05
Reply A at second attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Reply B at second attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Reply C at second attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Overall migration in acetic acid 3% by immersion at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</i>		< 1.0		mg/dm ²	1.0	10	0_A		18/04	13/05
Reply A at third attack		< 1.0		mg/dm ²	1.0				18/04	13/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 2 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
Reply B at third attack		1.00		mg/dm ²	1.0				18/04	13/05
Reply C at third attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Overall migration in ethanol 10% by immersion at first attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		< 1.0		mg/dm ²	1.0		0_A		18/04	13/05
Reply A first attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Reply B first attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Reply C first attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Overall migration in ethanol 10% by immersion at second attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		< 1.0		mg/dm ²	1.0		0_A		18/04	13/05
Reply A second attack		1.50		mg/dm ²	1.0				18/04	13/05
Reply B second attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Reply C second attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Overall migration in ethanol 10% by immersion at third attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		< 1.0		mg/dm ²	1.0	10	0_A		18/04	13/05
Reply A third attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Reply B third attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Reply C third attack		< 1.0		mg/dm ²	1.0				18/04	13/05
Overall migration with Substitute oil simulants Isoctane and EtOH95% by immersion at I,II,III attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		-					0_A			
Overall migration in isoctane by immersion at first attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		< 1.0		mg/dm ²	1.0		0_A		22/05	28/05
Reply A at first attack		< 1.0		mg/dm ²	1.0				22/05	28/05
Reply B at first attack		< 1.0		mg/dm ²	1.0				22/05	28/05
Reply C at first attack		< 1.0		mg/dm ²	1.0				22/05	28/05
Overall migration in isoctane by immersion at second attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		1.50	±0.68	mg/dm ²	1.0		0_A		22/05	28/05
Reply A at second attack		1.50		mg/dm ²	1.0				22/05	28/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 3 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
Reply B at second attack		1.50		mg/dm ²	1.0				22/05	28/05
Reply C at second attack		1.50		mg/dm ²	1.0				22/05	28/05
Overall migration in isooctane by immersion at third attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		1.50	±0.68	mg/dm ²	1.0		0_A		22/05	28/05
Reply A at third attack		< 1.0		mg/dm ²	1.0				22/05	28/05
Reply B at third attack		3.50		mg/dm ²	1.0				22/05	28/05
Reply C at third attack		< 1.0		mg/dm ²	1.0				22/05	28/05
Overall migration in ethanol 95% by immersion at first attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		6.00	±0.90	mg/dm ²	1.0		0_A		22/05	27/05
Reply A at first attack		7.00		mg/dm ²	1.0				22/05	27/05
Reply B at first attack		7.00		mg/dm ²	1.0				22/05	27/05
Reply C at first attack		4.00		mg/dm ²	1.0				22/05	27/05
Overall migration in ethanol 95% by immersion at second attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		6.50	±0.98	mg/dm ²	1.0		0_A		22/05	27/05
Reply A at second attack		7.50		mg/dm ²	1.0				22/05	27/05
Reply B at second attack		6.50		mg/dm ²	1.0				22/05	27/05
Reply C at second attack		5.00		mg/dm ²	1.0				22/05	27/05
Overall migration in ethanol 95% by immersion at third attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 1186-3:2022</small>		3.00	±1.35	mg/dm ²	1.0		0_A		22/05	27/05
Reply A at third attack		1.00		mg/dm ²	1.0				22/05	27/05
Reply B at third attack		3.00		mg/dm ²	1.0				22/05	27/05
Reply C at third attack		5.00		mg/dm ²	1.0				22/05	27/05
19 METALS SPECIFIC MIGRATION IN ACETIC ACID 3% at first, second and third attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</small>							0_A			
Aluminum at first attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</small>		< 0.1		mg/kg	0.1	1	0_A		18/04	07/05
Aluminum at second attack <small>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</small>		< 0.1		mg/kg	0.1	1	0_A		18/04	07/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 4 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
Aluminum at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	1	0_A		18/04	07/05
Antimony at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.04	0_A		18/04	07/05
Antimony at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.04	0_A		18/04	07/05
Antimony at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.04	0_A		18/04	07/05
Arsenic at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.01	0_A		18/04	07/05
Arsenic at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.01	0_A		18/04	07/05
Arsenic at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.01	0_A		18/04	07/05
Barium at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	1	0_A		18/04	07/05
Barium at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	1	0_A		18/04	07/05
Barium at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	1	0_A		18/04	07/05
Cadmium at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.002		mg/kg	0.002	0.002	0_A		18/04	07/05
Cadmium at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.002		mg/kg	0.002	0.002	0_A		18/04	07/05
Cadmium at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.002		mg/kg	0.002	0.002	0_A		18/04	07/05
Cobalt at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Cobalt at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Cobalt at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Chromium at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.01	0_A		18/04	07/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 5 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
Chromium at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.01	0_A		18/04	07/05
Chromium at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.01	0_A		18/04	07/05
Europium at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Europium at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Europium at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Iron at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	48	0_A		18/04	07/05
Iron at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	48	0_A		18/04	07/05
Iron at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	48	0_A		18/04	07/05
Gadolinium at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Gadolinium at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Gadolinium at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Lanthanum at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Lanthanum at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Lanthanum at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
Lithium at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	0.6	0_A		18/04	07/05
Lithium at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	0.6	0_A		18/04	07/05
Lithium at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>		< 0.1		mg/kg	0.1	0.6	0_A		18/04	07/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 6 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
	Manganese at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.05		mg/kg	0.05	0.6	0_A		18/04	07/05
	Manganese at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.05		mg/kg	0.05	0.6	0_A		18/04	07/05
	Manganese at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.05		mg/kg	0.05	0.6	0_A		18/04	07/05
	Mercury at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.005		mg/kg	0.005	0.01	0_A		18/04	07/05
	Mercury at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.005		mg/kg	0.005	0.01	0_A		18/04	07/05
	Mercury at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.005		mg/kg	0.005	0.01	0_A		18/04	07/05
	Nickel at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	0.001		mg/kg	0.001	0.02	0_A		18/04	07/05
	Nickel at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.001		mg/kg	0.001	0.02	0_A		18/04	07/05
	Nickel at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.001		mg/kg	0.001	0.02	0_A		18/04	07/05
	Lead at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.002		mg/kg	0.002	0.01	0_A		18/04	07/05
	Lead at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.002		mg/kg	0.002	0.01	0_A		18/04	07/05
	Lead at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.002		mg/kg	0.002	0.01	0_A		18/04	07/05
	Copper at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.1		mg/kg	0.1	5	0_A		18/04	07/05
	Copper at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.1		mg/kg	0.1	5	0_A		18/04	07/05
	Copper at third attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.1		mg/kg	0.1	5	0_A		18/04	07/05
*	Sum of lanthanides (Eu+Gd+La+Tb) at first attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
*	Sum of lanthanides (Eu+Gd+La+Tb) at second attack <i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>	< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 7 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
* Sum of lanthanides (Eu+Gd+La+Tb) at third attack		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
<i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>										
Terbium at first attack		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
<i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>										
Terbium at second attack		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
<i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>										
Terbium at third attack		< 0.01		mg/kg	0.01	0.05	0_A		18/04	07/05
<i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>										
Zinc at first attack		< 0.1		mg/kg	0.1	5	0_A		18/04	07/05
<i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>										
Zinc at second attack		< 0.1		mg/kg	0.1	5	0_A		18/04	07/05
<i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>										
Zinc at third attack		< 0.1		mg/kg	0.1	5	0_A		18/04	07/05
<i>Reg UE 10/2011 14/01/2011 GU UE L12 15/01/2011 Reg UE 2016/1416 24/08/2016 GU UE L230/22 25/08/2016 Reg UE 2020/1245 02/09/2020 GU UE L288 03/09/2020, UNI EN 13130-1:2005, EPA 6020B 2014</i>										
Specific migration of PAA Reg. 10/2011 Annex II at first, second and third attack in 3% acetic acid							0_A			
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
* 2,2'-dichloro-4,4'-methylenedianiline at first attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
* 2,2'-dichloro-4,4'-methylenedianiline at second attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
* 2,2'-dichloro-4,4'-methylenedianiline at third attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
4,4-Methylenedianiline at first attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
4,4-Methylenedianiline at second attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
4,4-Methylenedianiline at third attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
4,4-Diaminodiphenylether at first attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
4,4-Diaminodiphenylether at second attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
4,4-Diaminodiphenylether at third attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
4-Chloro-Aniline at first attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										
4-Chloro-Aniline at second attack		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
<i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>										

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 8 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
4-Chloro-Aniline at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
Phenylendiamine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.002		mg/kg	0.002		0_A		18/04	08/05
Phenylendiamine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.002		mg/kg	0.002		0_A		18/04	08/05
Phenylendiamine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.002		mg/kg	0.002		0_A		18/04	08/05
* 3,3'-Dimethoxybenzidine o-Dianisidine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 3,3'-Dimethoxybenzidine o-Dianisidine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 3,3'-Dimethoxybenzidine o-Dianisidine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
3,3-Dimethylbenzidine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
3,3-Dimethylbenzidine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
3,3-Dimethylbenzidine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2-Methoxy-5-Methylaniline at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2-Methoxy-5-Methylaniline at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2-Methoxy-5-Methylaniline at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2,4,5-Trimethylaniline at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2,4,5-Trimethylaniline at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2,4,5-Trimethylaniline at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 4,4'-thiodianiline at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 4,4'-thiodianiline at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 4,4'-thiodianiline at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 4-Aminoazobenzene at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 4-Aminoazobenzene at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 4-Aminoazobenzene at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 9 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
4-Methoxy-m-phenylenediamine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
4-Methoxy-m-phenylenediamine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
4-Methoxy-m-phenylenediamine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
Aniline at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
Aniline at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
Aniline at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
2,6-Toluenediamine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
2,6-Toluenediamine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
2,6-Toluenediamine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
4,4-Methylenedi-o-toluidine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
4,4-Methylenedi-o-toluidine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
4,4-Methylenedi-o-toluidine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2,6-Dimethylaniline at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
2,6-Dimethylaniline at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
2,6-Dimethylaniline at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
o-Anisidine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
o-Anisidine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
o-Anisidine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 2-naphthylamine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 2-naphthylamine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 2-naphthylamine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 10 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
* 3,3'-dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylen. at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 3,3'-dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylen. at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 3,3'-dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylen. at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
4-aminobiphenyl at first attacco <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
4-aminobiphenyl at second attacco <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
4-aminobiphenyl at third attacco <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
Benzidine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
Benzidine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
Benzidine third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
o-Toluidine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
o-Toluidine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
o-Toluidine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2,4-Dimethylaniline at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
2,4-Dimethylaniline at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
2,4-Dimethylaniline at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001		0_A		18/04	08/05
4-Chloro-o-Toluidine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
4-Chloro-o-Toluidine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
4-Chloro-o-Toluidine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2,4-Toluenediamine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
2,4-Toluenediamine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 11 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

Test Method	Chemical parameters	Results	unc	u.m.	LOQ	Limits	o.u.	Note	Start date	End date
2,4-Toluenediamine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* o-aminoazotoluene,4-amino-2',3-dimethylazobenzen. at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* o-aminoazotoluene,4-amino-2',3-dimethylazobenzen. at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* o-aminoazotoluene,4-amino-2',3-dimethylazobenzen. at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 5-nitro-o-toluidine at first attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 5-nitro-o-toluidine at second attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* 5-nitro-o-toluidine at third attack <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.001		mg/kg	0.001	0.002	0_A		18/04	08/05
* SUM OF PRIMARY AROMATIC AMINES IN ACETIC ACID 3% AT FIRST ATTACK <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.01		mg/kg	0.01	0.01	0_A		18/04	08/05
* SUM OF PRIMARY AROMATIC AMINES IN ACETIC ACID 3% AT SECOND ATTACK <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.01		mg/kg	0.01	0.01	0_A		18/04	08/05
* SUM OF PRIMARY AROMATIC AMINES IN ACETIC ACID 3% AT THIRD ATTACK <i>UNI EN 13130-1:2005 + JRC-IHCP EU RL-FCM Aromatic amines Protocol A Ed.1 2011</i>		< 0.01		mg/kg	0.01	0.01	0_A		18/04	08/05
* ORGANOLEPTIC TEST <i>DIN 10955:2004</i>							0_A			
* Taste (average value) <i>DIN 10955:2004</i>		0.0					0_A		18/04	21/05
* Odor (average value) <i>DIN 10955:2004</i>		0.0					0_A		18/04	21/05

Legend:
unc = uncertainty; u.m. = unit of measurement; LOQ (limit of quantification); o.u. (operative unit); 0_A (test performed at o.u. Barberino Tavarnelle - FI, Sangallo street); 0_B (test performed at o.u. Barberino Tavarnelle - FI, Bramante street); II (mobile lab.); III (external analysis); LE.# (Subcontracted Test performed by a different lab.);
(* not accredited test by ACCREDIA)
(§) The laboratory declines all responsibility for sampling.
(C) Information provided by the Client/Third Party. The laboratory accepts no responsibility for results obtained from calculations using data provided by the Client/Third Party.

Limits referred to Reg. UE 10/2011 e successive rettifiche ed emendamenti

NOTE

Ratio S/V = 5 dm²/l

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 12 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

- For Chemical test, expanded uncertainty is referred to 95% confidence level. Coverage factor $k=2$.
- The limit of determination (LOD) results as $3/10LOQ$ if not indicated otherwise.
- The Laboratory uses the point as decimal separator.
- Where a declaration of conformity to a specification or standard is required, unless the decision rule is already contained in the specification or standard itself, the laboratory shall adopt as its decision rule the direct comparison with the limit without taking into account the uncertainty.

NOTES AND GENERAL EVALUATIONS:

Limited to the parameters analyzed, the sample complies with Reg. EU 10/2011 and its amendments

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 13 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



LAB N° 0069 L

N° 24-FC00865

TEST REPORT

Sensorial test

The method DIN 10955 describes a procedure for assessing the suitability organoleptic of primary packaging for food.

Odor test:

Method: DIN 10955 §11.5 (testing for difference in odour from the standard sample)

Conditioning mode: 2h at 70°C

Taste test:

Method: DIN 10955 §11.6 (taint test)

Conditioning mode: 2h at 70°C

Food simulant: drinking water

Sensorial test

Each judge is provided with his own container with the simulant (closed and covered with aluminium foil), a reference and an evaluation form. The judge proceeds with odor and taste tests. If a repetition is required, the container must be kept closed for at least 2 min.

	Odor test		Taste test	
	Average	Standard deviation	Average	Standard deviation
Score	0.0	0.0	0.0	0.0

Number of assessors: 6

Type of test: Score test

The test score is an assessment of the intensity of the modification of the taste of the food simulant, according to a 5-point structured scale. For each assessor is asked to taste two encoded portions of simulant one of which was in contact (direct) with the specimen and the other is not, and assign a score according to the following scale:

0	No perceptible difference in taste/odour
1	Just perceptible difference in taste/odour (still difficult to define)
2	Slight difference in taste/odour
3	Marked difference in taste/odour
4	Strong difference in taste/odour

Based on the results obtained from the sensory test, the examined object meets the requirements of Art.3 of Reg. (EC) 1935/2004.

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 14 of 15



LAB N° 0069 L

N° 24-FC00865

- The results refer to the sample as received.
- The reported results only refer to the tested sample. Sample conditions at the arrival are recorded in the laboratory managing system.
- pH is registered under number 013 on the regional list of approved laboratories for analysis in the context of self-control procedures in the food industry (LR Tuscany No. 9 09/03/2006).

Date, 10/06/2024



as per Technical Manager
dott. Patrizio Nuti

Number of documents
attached to this Test Report: 1

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: FC06.01 rev.11 of 25/10/2023

Page 15 of 15

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 11/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795

ATTACHED to the Test Report N° 24-FC00865

photo n. 1

